



Hand protection

# ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products



## Specific benefits



### Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



### Easy to use

· Chlorinated interior for easy glove donning



### Performance

· Lightweight for optimal dexterity

## Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food services
- Maintenance

## Certifications and norms



EN 388  
0010X



EN ISO 374-1  
TYPE C  
KL



EN ISO 374-5



EN 421:2010





Hand protection

# ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

## Standards - Details



### EN388:2016+A1:2018

0 [0-4] ABRASION RESISTANCE  
0 [0-5] CUT RESISTANCE  
1 [0-4] TEAR RESISTANCE  
0 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997



### EN 374

K  
L

## Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Inner finition	Powder free
Coating material and finition	Smooth latex
Coating level	Fully coated
Number of layer	Single layer
Thickness	0,40 mm
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Vendor pack
Color	Natural
Size	6, 7, 8, 9, 10
Type of packaging	Sold individually



Safety gloves

# ALPHA VE905

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
VE905NA08	Natural	8/9	ALPHA VE905	3295249009724	13295249009721	144	12	10.7 kg