



Foot protection

BRISTOL S3 SRC

GENTLEMEN

Low-cut shoe combining style and elegance, in a 100% composite model



Specific benefits



Comfort

- Lightweight product to reduce fatigue throughout the day
- Ergonomically designed footwear for comfortable wear



Hygiene

- Removable insock for easy cleaning



Performance

- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S3 WRU FO A E SRC

Applications

- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance
- Temporary work
- Public services



Foot protection

BRISTOL S3 SRC

GENTLEMEN

Low-cut shoe combining style and elegance, in a 100% composite model

Standards - Details

Technical details

Shoe type	High shoe
Anti-perforation insert	Metal free
Upper material and finition	Grain Leather
Safety toe-cap	Composite
Lining material	Textile, Polyamid
Footbed material	EVA
Footbed characteristic	Removable, Pre-molded
Outsole material	Mono density PU
Weight	494 g per shoe
Size range	39 → 48



Safety footwear

BRISTOL S3 SRC

GENTLEMEN

Low-cut shoe combining style and elegance, in a 100% composite model

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
BRIST53NO39	Black	39	BRISTOL S3 SRC	3295249184780	13295249184787	10	1	12.6 kg
BRIST53NO40	Black	40	BRISTOL S3 SRC	3295249184797	13295249184794	10	1	14.0 kg
BRIST53NO41	Black	41	BRISTOL S3 SRC	3295249184803	13295249184800	10	1	14.0 kg
BRIST53NO42	Black	42	BRISTOL S3 SRC	3295249184810	13295249184817	10	1	14.0 kg
BRIST53NO43	Black	43	BRISTOL S3 SRC	3295249184827	13295249184824	10	1	14.5 kg
BRIST53NO44	Black	44	BRISTOL S3 SRC	3295249184834	13295249184831	10	1	15.8 kg
BRIST53NO45	Black	45	BRISTOL S3 SRC	3295249184841	13295249184848	10	1	15.3 kg
BRIST53NO46	Black	46	BRISTOL S3 SRC	3295249184858	13295249184855	10	1	16.0 kg
BRIST53NO47	Black	47	BRISTOL S3 SRC	3295249184865	13295249184862	10	1	16.4 kg
BRIST53NO48	Black	48	BRISTOL S3 SRC	3295249184872	13295249184879	10	1	16.4 kg