



Hand protection

VENICUTB07

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for use in oily environments.



Specific benefits



Hygiene

- Nitrile means no risk of allergies for users



Performance

- Lightweight for optimal dexterity
- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle



Cost-effective

- Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Certifications and norms



EN 388
4 X 3 1 B



EN 407
X 1 X X X X



A2 3 2

Technologies and labels

ECONOCUT

ECONOCUT

Risk Protection



Heat



Cutting



Wearing



enjoy safety

Edit 25/08/2026
www.deltaplus-usa.com



Hand protection

VENICUTB07

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for use in oily environments.

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Econocut
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	18
Color	Gray-Black
Size	7, 8, 9, 10, 11
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3

Multiple of polybags to order: 4 bags of 3 pairs
120 pairs /box



Safety gloves

VENICUTB07

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for use in oily environments.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTB07GRG309	Grey-Black (C074)	09 (T013)	VENICUTB07	3295249305680	13295249305687	40	4	0.0 kg	31.0 cm	65.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height