



手部防护

VENICUTB07

轻度切割的零散作业

B 级防割手套，极为灵巧，适合在油性环境中使用。



具体优势



卫生环保

· 丁腈涂层，使用者无过敏风险



高性能

· 重量非常轻，使其具备最佳的灵巧性

· 丁腈涂层让使用者在油腻的环境中工作时，对接触物具备良好的抓握力



高性价比

· 人性化包装规格，3副装正好适用1周

技术与标签

EONocut

EONocut

标准和认证



EN 388
4 X 3 1 B



EN 407
X 1 X X X X



A2 3 2

防范风险



高温



切割



磨损



enjoy safety.

编辑 22/08/2026
www.deltaplus.com.cn



VENICUTB07

轻度切割的零散作业

B 级防割手套，极为灵巧，适合在油性环境中使用。

手部防护

详细信息 - 标准



EN388:2016+A1:2018

4 [0-4] 耐磨
X [0-5] 防切割
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] 燃烧性能
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

技术细节

手套类别	机械防护手套
手套类别	针织涂层手套
机械手套类	针织
纬纱	Econocut
涂层水平	掌面涂层
涂层材质	丁腈
涂层饰面	抓纹涂层
涂层数	单涂层
针数	18
颜色	灰色-黑色
尺码	7, 8, 9, 10, 11
包装类型	3/包

包装

销售单位: 3/包

可订购多个聚乙烯袋: 4 袋 3 对

120 成对/箱



Safety gloves

VENICUTB07

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for use in oily environments.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTB07GRG309	Grey-Black (C074)	09 (T013)	VENICUTB07	3295249305680	13295249305687	40	4	0.0 kg	31.0 cm	65.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height