



Hand protection

VENICUTB08

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for dry environments.



Specific benefits



Performance

- Lightweight for optimal dexterity
- The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

- User-friendly worksite package, including three pairs for weekly use

Certifications and norms



EN 388
4 X 3 1 B



EN 407
X 1 X X X X



ANSI/ISEA 105-2024
A2 3 2

Protects against risks



Cutting



Wearing



Hand protection

VENICUTB08

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for dry environments.

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Econocut
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	18
Color	Grey
Size	7, 8, 9, 10, 11
Type of packaging	Pack of 3

Packaging

Sale unit: Pack of 3

Multiple of polybags to order: 4 bags of 3 pairs
120 pairs /box



Safety gloves

VENICUTB08

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with extreme dexterity, ideal for dry environments.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTB08GRG309	Grey (C079)	09 (T013)	VENICUTB08	3295249305635	13295249305632	40	4	0.0 kg	31.0 cm	65.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height