



Hand protection

VENICUTF08

INTENSE CUT WORK

Level F cut-resistant glove, ideal for dry conditions



Specific benefits



Easy to use

• Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

• The anti-slip properties of the polyurethane coating provides good grip.



Cost-effective

• User-friendly worksite package, including three pairs for weekly use

Certifications and norms



EN 388
3 X 4 2 F



ANSI/ISEA 105-2024
A6 X X

Technologies & labels

EONocut

EONocut

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance



Hand protection

VENICUTF08

INTENSE CUT WORK

Level F cut-resistant glove, ideal for dry conditions

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

F [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Glass Fiber, PEHD, Steel Fiber
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	13
Color	Grey
Size	7, 8, 9, 10, 11
Type of packaging	Pack of 3

Packaging

Sale unit: Pack of 3

Multiple of polybags to order: 4 bags of 3 pairs
120 pairs /box



VENICUTF08

TRABAJOS CORTANTES INTENSIVOS

Protección de las manos

Guante resistente al corte de nivel F, ideal para condiciones secas.

Información logística

Referencia	Color	Tamaño	Descripción	EAN 13	Código caja			Peso			
VECUTF08GRG309	Gris	09	VENICUTF08	3295249296919	13295249296916	40	4	0.0 kg	31.0 cm	65.0 cm	35.0 cm



Caja completa



Mín. Vta. (múltiplo)



Ancho caja



Profundidad de la caja



Altura caja