



Zaštita ruku

VENICUTF08

INTENZIVNI POSLOVI REZANJA

Rukavica za zaštitu od posjekotina razine F, idealna za suha okruženja



Prednosti



Jednostavna upotreba

• Korisnici ne osjećaju nelagodu na zapešćima kada ih koriste dulje vrijeme



Performanse

• Poliuretanski premaz koji omogućuje dobro prijanjanje zahvaljujući protukliznoj funkciji



Ekonomski

• Korisnicima su dostupna ekonomična pakiranja koja sadrže tri para rukavica, što je dovoljno za tjedan dana

Certifikati i standardi



EN 388
3 X 4 2 F



A6 X X

Tehnologije i oznake

ECONocut

ECONocut

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Teška industrija
- Laka industrija
- Održavanje



Zaštita ruku

VENICUTF08

INTENZIVNI POSLOVI REZANJA

Rukavica za zaštitu od posjekotina razine F, idealna za suha okruženja

Pojedinosti - Standardi



EN388:2016+A1:2018

3 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Od tkanine	Stakloplastika, Polietilen visoke gustoće, Čelična vlakna
Razina premaza	Premaz dlana
Vrsta premaza	Poliuretan (PU)
Završni premaz	Glatko
Broj premaza	Jednoslojni premaz
Debljina	13
Boja	Siva
Veličina	7, 8, 9, 10, 11
Vrsta pakiranja	Pakiranje od 3 komada

Pakiranje

Prodajna jedinica: Pakiranje od 3 komada
Više polybagova na narudžbu: 4 vrećice po 3 para
120 parovi /kutija



Safety gloves

VENICUTF08

INTENSE CUT WORK

Level F cut-resistant glove, ideal for dry conditions

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF08GRG309	Grey (C079)	09 (T013)	VENICUTF08	3295249296919	13295249296916	40	4	0.0 kg	31.0 cm	65.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height