



Hand protection

VENICUTF07

INTENSE CUT WORK

Level F cut-resistant glove, ideal for oily or aqueous environments, with good grip thanks to a granular nitrile coating



Specific benefits



Easy to use

• Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Hygiene

• Nitrile means no risk of allergies for users



Cost-effective

• Construction lot in a cost-effective format for the user, including three pairs for a weekly period of use

Certifications and norms



EN 388
4 X 4 3 F



A6 X X

Technologies and labels

EONocut

EONocut

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Heavy Industry
- Maintenance
- Automotive

Risk Protection



Cutting



Wearing



enjoy safety

Edit 26/08/2026
www.deltaplus-usa.com



Hand protection

VENICUTF07

INTENSE CUT WORK

Level F cut-resistant glove, ideal for oily or aqueous environments, with good grip thanks to a granular nitrile coating

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

F [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Fiberglass, PEHD, Steel Fiber
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	13
Color	Gray-Black
Size	7, 8, 9, 10, 11
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3

Multiple of polybags to order: 4 bags of 3 pairs
120 pairs /box



Safety gloves

VENICUTF07

INTENSE CUT WORK

Level F cut-resistant glove, ideal for oily or aqueous environments, with good grip thanks to a granular nitrile coating

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTF07GRG308	Grey-Black (C074)	08 (T011)	VENICUTF07	3295249296575	13295249296572	40	4	0.0 kg	61.0 cm	31.0 cm	38.5 cm
VECUTF07GRG309	Grey-Black (C074)	09 (T013)	VENICUTF07	3295249296582	13295249296589	40	4	0.0 kg	30.0 cm	56.0 cm	37.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height