



Hand protection

# VENICUT F XTREM CUT - VENICUTF01

## INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments



### Specific benefits



#### Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



#### Performance

· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market  
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

### Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive

### Certifications and norms



EN 388  
4 X 4 3 F



EN 407  
X 1 X X X X



ANSI/ISEA 105-2024  
A6 X X

### Protects against risks



Cutting



Wearing



Perforation



Hand protection

# VENICUT F XTREM CUT - VENICUTF01

## INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments

### Standards - Details



#### EN388:2016+A1:2018

- 4 [0-4] ABRASION RESISTANCE
- X [0-5] CUT RESISTANCE
- 4 [0-4] TEAR RESISTANCE
- 3 [0-4] PIERCE RESISTANCE
- F [A-F] CUT RESISTANCE ISO 13997



#### EN 407

- X [0-4] BURNING BEHAVIOUR
- 1 [0-4] CONTACT HEAT RESISTANCE
- X [0-4] CONVECTIVE HEAT
- X [0-4] RADIANT HEAT RESISTANCE
- X [0-4] SMALL DROP MOLTEN METAL
- X [0-4] LARGE QUANTITY MOLTEN METAL

### Technical details

|                       |  |
|-----------------------|--|
| Glove kind            | Mechanical glove                       |
| Glove family          | Knitted coated glove                   |
| Mechanical glove kind | Knitted                                |
| Weft yarn             | Xtremcut                               |
| Coating level         | Palm coated                            |
| Coating material      | Nitrile                                |
| Coating finition      | Grip-textured                          |
| Number of layer       | Single layer                           |
| Gauge                 | 13                                     |
| Cuff characteristic   | Long cuff                              |
| Cuff length (mm)      | 100                                    |
| Benefits element      | Reach, Vendor pack, Long cuff (>290mm) |
| Color                 | Grey-Black                             |
| Size                  | 6, 7, 8, 9, 10, 11                     |
| Type of packaging     | in individual bag                      |

### Packaging

Sale unit: in individual bag  
60 pairs /box








Safety gloves

# VENICUT F XTREM CUT - VENICUTF01

## INTENSE CUT WORK

Level F cut-resistant glove ideal for heavy duty work in oily or aqueous environments

### Logistics information

| Reference    | Colour     | Size | Designation                      | EAN13         | Box code       |  |  | Weight |  |  |  |
|--------------|------------|------|----------------------------------|---------------|----------------|---|---|--------|---|---|---|
| VECUTF01NO06 | Grey-Black | 06   | VENICUT F XTREM CUT - VENICUTF01 | 3295249235826 | 13295249235823 | 60  | 12  | 4.8 kg | 32.2 cm   | 72.4 cm   | 16.2 cm   |
| VECUTF01NO07 | Grey-Black | 07   | VENICUT F XTREM CUT - VENICUTF01 | 3295249235833 | 13295249235830 | 60  | 12  | 5.1 kg | 32.8 cm   | 72.2 cm   | 15.2 cm   |
| VECUTF01NO08 | Grey-Black | 08   | VENICUT F XTREM CUT - VENICUTF01 | 3295249235840 | 13295249235847 | 60  | 12  | 5.4 kg | 32.8 cm   | 72.2 cm   | 16.2 cm   |
| VECUTF01NO09 | Grey-Black | 09   | VENICUT F XTREM CUT - VENICUTF01 | 3295249235857 | 13295249235854 | 60  | 12  | 6.0 kg | 34.6 cm   | 72.6 cm   | 16.2 cm   |
| VECUTF01NO10 | Grey-Black | 10   | VENICUT F XTREM CUT - VENICUTF01 | 3295249235864 | 13295249235861 | 60  | 12  | 6.5 kg | 32.6 cm   | 72.2 cm   | 16.6 cm   |
| VECUTF01NO11 | Grey-Black | 11   | VENICUT F XTREM CUT - VENICUTF01 | 3295249235871 | 13295249235878 | 60  | 12  | 6.9 kg | 32.6 cm   | 72.4 cm   | 15.6 cm   |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height