



Hand protection

VENICUTDX0

LONG-LASTING CUT WORK

Rokavica, odporna proti prerezom stopnje D, odporna na kontaktno toploto do 250°, idealna za intenzivno delo



Posebne koristi



Uspešnost

- Visoko zmogljiva vlakna HEATnocut zagotavljajo odlično odpornost na obrabo in rezanje
- Visoko zmogljiva vlakna HEATnocut so odporna na kontaktno toploto (250° za 15 sekund).

Aplikacije

- Javna dela
- Stavba
- Rudarska industrija

Certifikati in norme

CE KATEGORIJA II



EN 388
4 X 4 2 D



EN 407
X 2 X X X X



A4
A4 X X

Zaščita pred tveganji



Cutting



Wearing



Hand protection

VENICUTDX0

LONG-LASTING CUT WORK

Rokavica, odporna proti prerezom stopnje D, odporna na kontaktno toploto do 250°, idealna za intenzivno delo

Standardi - podrobnosti



EN388:2016+A1:2018

4 [0-4] ODPORNOST PROTI OBRABI
X [0-5] REZNA UPORNOST
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997



EN 407

X [0-4] OBNAŠANJE PRI GORENJU
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnične podrobnosti

| | |
|-------------------------|--|
| Vrsta rokavic | Posebna rokavica |
| Družina rokavic | Pletena neprevlečena rokavica z usnjeno dlanjo |
| Vrsta mehanske rokavice | Pleteno |
| Vrsta posebnih rokavic | Pleteno z usnjem za dlani |
| Preja za votke | HEATnocut, PEHD |
| Merilnik | 10 |
| Element ugodnosti | Doseganje, Paket prodajalca |
| Barva | Rumna-Siva |
| Velikost | 9, 10 |
| Vrsta embalaže | v posameznih vrečkah |

Pakiranje

Prodajna enota: v posameznih vrečkah
60 pari /box








Safety gloves

VENICUTDX0

LONG-LASTING CUT WORK

Level D cut-resistant glove, contact heat resistant up to 250°, ideal for intensive work

Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code |  |  | Weight |  |  |  |
|--------------|-------------|------|-------------|---------------|----------------|---|---|---------|---|---|---|
| VECUTDX0GJ09 | Yellow-Grey | 09 | VENICUTDX0 | 3295249157289 | 13295249157286 | 60 | 12 | 10.2 kg | 28.0 cm | 35.0 cm | 37.0 cm |
| VECUTDX0GJ10 | Yellow-Grey | 10 | VENICUTDX0 | 3295249157296 | 13295249157293 | 60 | 12 | 11.3 kg | 28.0 cm | 35.0 cm | 37.0 cm |

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height