



Hand protection

# VENICUTD03

## LONG-LASTING CUT WORK

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments



### Specific benefits



#### Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves



#### Hygiene

· Reduces perspiration thanks to its excellent breathability  
· Nitrile means no risk of allergies for users



#### Performance

· Lightweight for optimal dexterity  
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle



#### Compatibility

· Compatible with Touchscreens

### Technologies and labels




Touch screen

### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

### Certifications and norms



### Risk Protection



Cutting



Wearing



*enjoy safety.*



Hand protection

# VENICUTD03

## LONG-LASTING CUT WORK

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments

### Standards - Details



#### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

D [A-F] CUT RESISTANCE ISO 13997

### Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	DELTAnocut
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	15
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Touch sensitive, Reach, Vendor pack, Long cuff (>290mm)
Color	Gray-Black
Size	7, 8, 9, 10
Type of conditioning	in individual bag

### Packaging

Sale unit: in individual bag  
60 pairs /box








Safety gloves

# VENICUTD03

## LONG-LASTING CUT WORK

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUTD03GR07	Grey-Black	07	VENICUTD03	3295249196035	13295249196032	60	12	4.8 kg	30.0 cm	68.0 cm	19.0 cm
VECUTD03GR08	Grey-Black	08	VENICUTD03	3295249196059	13295249196056	60	12	5.0 kg	18.8 cm	30.6 cm	68.4 cm
VECUTD03GR09	Grey-Black	09	VENICUTD03	3295249196066	13295249196063	60	12	5.5 kg	30.0 cm	68.0 cm	19.0 cm
VECUTD03GR10	Grey-Black	10	VENICUTD03	3295249196073	13295249196070	60	12	5.6 kg	30.0 cm	68.0 cm	19.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height