



Hand protection

VENICUTC02

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove with padding for extra durability, ideal in dry conditions



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Lightweight for optimal dexterity
- The anti-slip properties of the polyurethane coating provides good grip.
- SOFTnocut fiber provides excellent cut resistance

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 3 C



ANSI/ISEA 105-2024
A3 X X

Protects against risks



Cutting



Wearing



enjoy safety

Edit 10/10/2026
www.deltaplus.eu



Hand protection

VENICUTC02

SLIGHTLY SHARP AND LONG-LASTING WORK

Level C cut-resistant glove with padding for extra durability, ideal in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Glass Fiber, PEHD, Polyester, Spandex
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	15
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Grey
Size	7, 8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag

60 pairs /box



Zaštita ruku

VENICUTC02

SLIGHTLY SHARP AND LONG-LASTING WORK

Rukavica za zaštitu od posjekotina razine C s ojačanjima za veću izdržljivost, idealna za suha okruženja

Logističke informacije

Šifra	Boja	Veličina	Oznaka	BAR KOD 13	Kod za skladišno pakiranje			Težina			
VECUTC02GR09	Siva	09	VENICUTC02	3295249210816	13295249210813	60	12	3.48 kg	37.0 cm	46.0 cm	17.0 cm



SKL.PAK.



MIN.PAK.



ŠIRINA KUTIJE



DUBINA KUTIJE



VISINA KUTIJE