



DENALI S1PS SR

UTILITIES

Lightweight, breathable high-cut shoe for industrial use.

Foot protection



Specific benefits



Comfort

- Lightweight product to reduce fatigue throughout the day
- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Padded collar for comfort and ankle support



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345:2022
S1PS CI HI FO A E SR

Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Education
- Firefighters & first responders

Protects against risks



Antistatic



Heat



Shock



Cold



DENALI S1PS SR

UTILITIES

Lightweight, breathable high-cut shoe for industrial use.

Foot protection

Standards - Details

Technical details

Shoe type	High-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Leather
Upper finition material	Split Leather, Velvet
Safety toe-cap	Composite
Lining material	Mesh
Lining material finition	3d
Footbed material	Polyester, PU
Footbed characteristic	Cold barrier, Ergonomic, Shock-absorption, Removable, Heat barrier, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	560
Size range	36 → 48



Safety footwear

DENALI S1PS SR

UTILITIES

Lightweight, breathable high-cut shoe for industrial use.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
DENALSPSGR36	Grey (C079)	36 (T020)	DENALI S1PS SR	3295249290801	13295249290808	5	1	6.7 kg	23.8 cm	59.2 cm	35.6 cm
DENALSPSGR37	Grey (C079)	37 (T021)	DENALI S1PS SR	3295249290955	13295249290952	5	1	6.8 kg	24.2 cm	59.4 cm	34.0 cm
DENALSPSGR38	Grey (C079)	38 (T022)	DENALI S1PS SR	3295249290962	13295249290969	5	1	7.2 kg	23.6 cm	59.4 cm	34.2 cm
DENALSPSGR39	Grey (C079)	39 (T023)	DENALI S1PS SR	3295249290979	13295249290976	5	1	7.4 kg	23.4 cm	59.6 cm	34.2 cm
DENALSPSGR40	Grey (C079)	40 (T024)	DENALI S1PS SR	3295249290986	13295249290983	5	1	7.5 kg	23.6 cm	59.2 cm	34.6 cm
DENALSPSGR41	Grey (C079)	41 (T025)	DENALI S1PS SR	3295249290993	13295249290990	5	1	7.8 kg	64.5 cm	24.5 cm	36.0 cm
DENALSPSGR42	Grey (C079)	42 (T026)	DENALI S1PS SR	3295249291006	13295249291003	5	1	7.9 kg	25.8 cm	64.8 cm	36.0 cm
DENALSPSGR43	Grey (C079)	43 (T027)	DENALI S1PS SR	3295249291013	13295249291010	5	1	8.6 kg	64.5 cm	24.5 cm	36.0 cm
DENALSPSGR44	Grey (C079)	44 (T028)	DENALI S1PS SR	3295249291020	13295249291027	5	1	9.0 kg	64.5 cm	24.5 cm	36.0 cm
DENALSPSGR45	Grey (C079)	45 (T029)	DENALI S1PS SR	3295249291037	13295249291034	5	1	9.5 kg	64.5 cm	24.5 cm	36.0 cm
DENALSPSGR46	Grey (C079)	46 (T030)	DENALI S1PS SR	3295249291044	13295249291041	5	1	9.5 kg	69.5 cm	25.5 cm	38.0 cm
DENALSPSGR47	Grey (C079)	47 (T031)	DENALI S1PS SR	3295249291051	13295249291058	5	1	9.0 kg	26.6 cm	69.8 cm	37.8 cm
DENALSPSGR48	Grey (C079)	48 (T032)	DENALI S1PS SR	3295249291068	13295249291065	5	1	9.7 kg	26.8 cm	69.4 cm	39.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height