



MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Foot protection



Specific benefits



Comfort

- Flexible sole to reduce fatigue during use
- Lightweight product to reduce fatigue throughout the day
- Second-skin effect for a close-fitting fit



Performance

- Enhanced protection against electrostatic discharge
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345:2011
S1P FO A E ESD SRC

Applications

- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance
- Automotive
- Temporary work

Protects against risks



Antistatic



Shock



Slip



Perforation



Foot protection

MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU
Anti-perforation insert	Stainless steel
Upper material	Polyester, Cotton
Safety toe-cap	Stainless steel
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	456
Size range	35 → 48



MIAMI S1P SRC ESD

ESD

Safety footwear

Lightweight, flexible low cut shoe, ideal for ESD environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
MIAMIEPNO35	Black (C133)	35 (T019)	MIAMI S1P SRC ESD	3295249243210	13295249243217	10	1	9.5 kg	23.4 cm	59.8 cm	33.2 cm
MIAMIEPNO36	Black (C133)	36 (T020)	MIAMI S1P SRC ESD	3295249247409	13295249247406	10	1	9.4 kg	23.6 cm	60.0 cm	33.6 cm
MIAMIEPNO37	Black (C133)	37 (T021)	MIAMI S1P SRC ESD	3295249247416	13295249247413	10	1	9.8 kg	23.8 cm	59.8 cm	33.4 cm
MIAMIEPNO38	Black (C133)	38 (T022)	MIAMI S1P SRC ESD	3295249247423	13295249247420	10	1	10.4 kg	24.0 cm	59.6 cm	33.6 cm
MIAMIEPNO39	Black (C133)	39 (T023)	MIAMI S1P SRC ESD	3295249247430	13295249247437	10	1	10.9 kg	24.6 cm	61.8 cm	35.0 cm
MIAMIEPNO40	Black (C133)	40 (T024)	MIAMI S1P SRC ESD	3295249247447	13295249247444	10	1	11.0 kg	24.6 cm	62.4 cm	34.8 cm
MIAMIEPNO41	Black (C133)	41 (T025)	MIAMI S1P SRC ESD	3295249247454	13295249247451	10	1	11.1 kg	24.8 cm	61.8 cm	34.8 cm
MIAMIEPNO42	Black (C133)	42 (T026)	MIAMI S1P SRC ESD	3295249247461	13295249247468	10	1	11.6 kg	25.6 cm	65.4 cm	36.8 cm
MIAMIEPNO43	Black (C133)	43 (T027)	MIAMI S1P SRC ESD	3295249247478	13295249247475	10	1	12.1 kg	25.6 cm	65.2 cm	37.0 cm
MIAMIEPNO44	Black (C133)	44 (T028)	MIAMI S1P SRC ESD	3295249247485	13295249247482	10	1	11.7 kg	26.2 cm	64.0 cm	36.6 cm
MIAMIEPNO45	Black (C133)	45 (T029)	MIAMI S1P SRC ESD	3295249247492	13295249247499	10	1	12.8 kg	26.8 cm	67.8 cm	40.2 cm
MIAMIEPNO46	Black (C133)	46 (T030)	MIAMI S1P SRC ESD	3295249247508	13295249247505	10	1	13.1 kg	27.0 cm	67.4 cm	40.2 cm
MIAMIEPNO47	Black (C133)	47 (T031)	MIAMI S1P SRC ESD	3295249247515	13295249247512	10	1	13.7 kg	27.2 cm	67.2 cm	41.0 cm
MIAMIEPNO48	Black (C133)	48 (T032)	MIAMI S1P SRC ESD	3295249247522	13295249247529	10	1	13.5 kg	26.8 cm	67.6 cm	40.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height