



Head protection

HELIUM 2 DETECTABLE

SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry



Specific benefits



Comfort

- Contemporary wrap-around bifocal design offers a close fit and comfortable protection.
- Extra flat temples for optimal comfort and less pressure
- Flex temples for an optimal comfort with less pressure
- Ultra lightweight for a better acceptance in extended period of use



Performance

- Metallically charged blue frame visually detectable by X-ray and magnetism. Suitable for the food industry.



Easy to use

- Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

Applications

- **Manufacturing/Transformation**
- **Accommodation & Food Services**
- **Cleanliness**
- **Temporary Work**
- **Transportation**
- **Storage**

Certifications and norms



EN170
UV 2C - 1.2

EN166
1 FT / FT

ANSI-ISEA Z87.1 - IMPACT
Z87+ U6 L1.3

Risk Protection



Shock



UV / IR



Head protection

HELIUM 2 DETECTABLE

SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry

Standards - Details

Technical details

Use	Inside
Type of eye protection	Glasses
Lens Material	Polycarbonate
Lens treatment	Anti-fogging (classic), Anti-scratch (classic), Antistatic
Lens based curve	9.5
Glasses Style	Monoblock
Lens color	Blue
Optical class	1
Lens protection class	1.2
Glasses Characteristics	Curved
Mechanical strength (lens)	F, T
Nose pad material	Polycarbonate
Frame Material	Polycarbonate
Frame Support	Temples
Mechanical strength (frame)	F, T
Mechanical strength (2nd frame)	F, T
Temple Benefits	Extra thin, Extra flat, Non-slip temples, Padded temples, Flexible tip
Temples confort	Non-slip temples, Padded temples, Flexible tip
Weight (g)	17



Head protection

HELIUM 2 DETECTABLE

SAFETY GLASSES

Ultra light blue safety glasses with metallic frames, ideal for the food industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HELI2DE	Blue (C047)	- (**)	HELIUM 2 DETECTABLE	3295249254520	13295249254527	100	10	5.7 kg	32.0 cm	59.0 cm	34.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height