



Protection antichute

DESCORD TC006

TRAVAUX SUR CORDE

Descendeur autobloquant sur corde permettant une descente contrôlée, grâce à son système anti-panique



Applications

- Agriculture
- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Industrie chimique
- Pétrole & gaz (extraction)

Certifications et normes



EN 12841
TYPE C

EN341
CLASSE A

Protège contre les risques



Chute



DESCORD TC006

TRAVAUX SUR CORDE

Descendeur autobloquant sur corde permettant une descente contrôlée, grâce à son système anti-panique

Protection antichute

Détails - Normes

Détails techniques

Type d'équipement	Descendeur auto-bloquant
Composition du support principal	Aluminium
Diamètre de corde maximum (mm)	12
Diamètre de corde maximum (inch)	0.4716
Couleur	Noir
Durée de vie à partir de la fabrication (ans)	20
Poids (kg)	0,360
Charge maximale pour deux personnes (kg)	130
Charge maximale pour une personne (kg)	130
Utilisation	Fonctionne sur corde tréssée
Situations de travail antichute	Sauvetage et évacuation, Grand déplacement vertical ou sur plan incliné pour travaux de cordes



Fall protection

DESCORD TC006

ROPE ACCESS WORK

Self-locking descender on a rope allowing controlled descent, owing to its anti-panic system

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC006	Black (C133)	One size (T177)	DESCORD TC006	3660348009065	13660348009062	50	1	25.35 kg	28.0 cm	43.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height