



Protezione anticaduta

DESCORD TC006

LAVORI SU CORDA

Discensore autobloccante su corda che consente una discesa controllata grazie al sistema anti panico



Campi di utilizzo

- Agricoltura
- Edificio
- Finitura / artigiani
- Manutenzione
- Industria chimica
- Petrolio e gas minerario (estrazione)

Certificazioni e norme



EN 12841
TIPO C

EN341
CLASSE A

Protegge contro i rischi



Caduta



Protezione anticaduta

DESCORD TC006

LAVORI SU CORDA

Discensore autobloccante su corda che consente una discesa controllata grazie al sistema anti panico

Dettagli - Norme

Dettagli tecnici

Tipo di attrezzatura	Discensore autobloccante
Composizione del supporto principale	Alluminio
Diametro massimo della fune (mm)	12
Diametro massimo della fune (inch)	0.4716
Colore	Nero
Durata di vita a partire dalla data di fabbricazione (anni)	20
Peso (kg) (kg)	0,360
Carico massimo per due persone (kg)	130
Carico massimo per una persona (kg)	130
Utilizzo	Funziona su corda intrecciata
Situazioni di lavoro	Salvataggio e evacuazione, Grande spostamento verticale o su piano inclinato per lavori su corda



Fall protection

DESCORD TC006

ROPE ACCESS WORK

Self-locking descender on a rope allowing controlled descent, owing to its anti-panic system

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC006	Black (C133)	One size (T177)	DESCORD TC006	3660348009065	13660348009062	50	1	25.35 kg	28.0 cm	43.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height