



Düşme önleme

DESCORD TC006

HALATLA ERİŞİM İŞLER

Anti-panik sistemi sayesinde kontrollü iniş sağlayan ip üzerinde kendinden kilitli iniş aleti



Uygulamalar

- Tarım
- Yapı
- İkinci iş / Zanaatkarlar
- Bakım
- Kimya endüstrisi
- Petrol ve Gaz (çıkarma)

Sertifikalar ve standartlar

CE KATEGORİ III

EN 12841
TİP C

EN341
SINIF A

Karşı korur



Düşme



Düşme önleme

DESCORD TC006

HALATLA ERİŞİM İŞLER

Anti-panik sistemi sayesinde kontrollü iniş sağlayan ip üzerinde kendinden kilitli iniş aleti

Detaylar - Standartlar

Ürün bilgileri

Ekipman Türü	Kendiliğinden kilitlenen iniş aksamı
Ana destek yapısı	Alüminyum
Maksimum halat çapı (mm)	12
Maksimum halat çapı (inch)	0.4716
Renk	Siyah
Üretimden itibaren raf ömrü (yıllar)	20
Ağırlık (kg) (kg)	0,360
İki kişi için maksimum yük (kg)	130
Tek kişi için azami yük (kg)	130
Kullanım	Örgülü halat üzerinde çalışır
Düşmeye karşı çalışma koşulları	Kurtarma ve tahliye, Uzun dikey hareket ya da halatla erişim gerektiren eğimli yüzeylerde hareket



Fall protection

DESCORD TC006

ROPE ACCESS WORK

Self-locking descender on a rope allowing controlled descent, owing to its anti-panic system

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
TC006	Black (C133)	One size (T177)	DESCORD TC006	3660348009065	13660348009062	50	1	25.35 kg	28.0 cm	43.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height