



Oprema protiv pada

ELARA320V2

KOMPLETI

Komplet za zaustavljanje pada s dvobojnim uprtač i pozicijskim pojasom za sve primjene pri pozicioniranju i kretanju po stupovima



Prednosti



performanse

• Certificirano za maksimalno nazivno opterećenje veće od 100 kg: proizvod certificiran za 140 kg



Ekonomski

• Ekonomičan komplet odmah spreman za upotrebu

Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Petrokemija
- Energija

Certifikati i standardi



EN 362

EN355
140 KG

EN361
140 KG

EN358

Štiti od



Pad



ELARA320V2

KOMPLETI

Oprema protiv pada

Komplet za zaustavljanje pada s dvobojnim uprtač i pozicijskim pojasom za sve primjene pri pozicioniranju i kretanju po stupovima

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Komplet za zaštitu od pada za „scaffolding“
Ovaj komplet sadrži	1x HAR14, 1x EX021, 1x AM002, 1x AN213200ZDD
Sastav glavnog nosača	Čelik, Poliester
Lock	Ručni sustav
Ukupan broj točaka za pričvršćivanje	2
Točka pričvršćivanja za zaustavljanje pada	Leđni, Prsni
Točke pričvršćivanja za pozicioniranje	Pojas (prednji)
Priložene stavke	Torba za pohranu
Boja	Narančasta
Veličina	Mala/Srednja/Velika
Vijek upotrebe nakon datuma proizvodnje (godine)	10
Težina (kg) (kg)	3,5
Sternal	1
Dorsal	1
Remen	1
Radne situacije za zaštitu od pada	Kretanje na horizontalnom sustavu učvršćenja (lifeline), Zadržavanje, Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m)



Fall protection

ELARA320V2

KITS

Fall arrest kit with two-tone webbing harness and positioning belt for all applications of positioning and climbing on towers

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ELARA320V2	Orange (C134)	S/M/L (T209)	ELARA320V2	3295249280680	13295249280687	5	1	20.7 kg	32.8 cm	28.0 cm	74.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height